

K40

ACETYL-CH[®]

Supports Healthy Acetylcholine Receptor Site Response, Activity, & Synthesis

BENEFITS OF PRODUCT

- Provides essential cofactors and precursors for Acetylcholine Synthesis.
- Provides phytonutrients that exhibit/support cholinergic activity.
- Provides phytonutrients that have shown to inhibit Acetylcholine catabolism.

USE OF PRODUCT

To help support healthy Acetylcholine levels as it relates to nutritional balance.

OTHER PRODUCTS TO CONSIDER

Other products can be used to complement Acetyl-CH[®] Active and further support healthy levels of Acetylcholine. Apex's Sublingual Vitamin-B12 (K34) is a rich source of micronized methylcobalamin that can provide essential methyl compounds to support neurotransmitter balance. Stress responses can cause neurotransmitter imbalance. Adaptocrine[®] (K02) can be used to provide stress adaptogens to support healthy neurotransmitter levels. Adrenacalm[™] (K16) provides a rich source of liposomal phosphatidylserine which can be useful in the same manner.

KEY INGREDIENTS RESEARCH COMMENTARY

The research information presented here should not be construed as claims regarding performance of this product.

GALANTAMINE is an unaltered extract from the Caucasian snowdrop plant and has been used for the support of the central nervous system effectively for decades in Eastern Europe.^{1,2} The plant compound has shown ability to increase acetylcholine levels in the brain by inhibiting the production of Acetylcholinesterase. It also appears to have the ability to increase the sensitivity of acetylcholine receptor sites. These mechanisms have demonstrated to support mental and cognitive health in safe and effective way.³
4 5 6

ALPHA-GPC (L-ALPHA-GLYCERLPHOSPHORYLCHOLINE) is a phospholipid metabolite that is isolated from lecithin. It is very well absorbed by the gastrointestinal tract and crosses the blood-brain barrier where it is used for the synthesis of acetylcholine. Oral intake of Alpha GPC has been shown to increase acetylcholine levels in the brain.^{7,8} Alpha-GPC compounds significantly improve cognitive capacities.^{9,10,11,12,13,14} Alpha-GPC has also shown tremendous potential as a nutrient to aid in stroke recovery.^{15,16,17}

L-HUPERZINE A is a potent alkaloid that is derived from club moss (Huperzia serreta). It is a very potent and specific acetylcholine esterase inhibitor which has shown a decrease in breakdown of acetylcholine and increase in levels of the neurotransmitters in the brain.^{18,19,20,21} L-Huperzine A has shown to be an effective aid in support of memory and cognition.^{22,23,24,25}

L-ACETYLCARNITINE (LAC) is composed of acetic acid and L-carnitine bound together and has very close structural similarity to acetylcholine. Research has shown that LAC does mimic acetylcholine activity and has shown effectiveness in cognition and the potential to delay the progression of age-related mental decay.^{26,27,28,29}

This product is not intended for use as a replacement for medications prescribed by a medical doctor. Intended for nutritional purposes only.

Statements in this flyer have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Supplement Facts

Serving size 1 vegetarian capsule
Servings per container 90

Amount Per Serving	% Daily Value	
Pantothenic Acid (as calcium pantothenate)	300 mg	3000%
Alpha-GPC (L-alpha glycerylphosphorylcholine)	100 mg	*
N-Acetyl L-Carnitine (as N-acetyl L-carnitine hydrochloride)	25 mg	*
Galantamine (as galantamine hydrobromide)	800 mcg	*
Huperzine A (from a standardized extract of huperzia serrata)	25 mcg	*

*Daily Value not established


Other ingredients: Vegetable cellulose (vegetarian capsule), microcrystalline cellulose, silicon dioxide.

DIRECTIONS

Take 1-2 capsules, 3 times a day, or as directed by your healthcare professional.

**Formula
Info Page**

PRFIPKLBK03(1108)



All Rights Reserved Copyright © 2004 Apex Energetics, Inc.

PANTOTHENIC ACID is used in the synthesis of coenzyme A (CoA) which is used to transport carbon atoms important for the biosynthesis of acetylcholine.² Supplementation of Pantothenic acid in an animal study has demonstrated the ability to increase acetylcholine levels in the brain.^{30,31}

REFERENCE INFO

- ¹ Maamo E. Nivaline. *Riforma Med* 1961;25;75:339-40
- ² Borodkin IuS, Krauz VA. The role of intracentral and interneuronal relations in the mechanism of short-term memory control. *Farmakol Toksikol* 1972;35(5):533-7.
- ³ Wilcock GK, Lellenfeld S, Gaenes, E. Efficacy and safety of galantamine in patients with mild to moderate Alzheimer's disease: multicenter randomized controlled trial. *BMJ* 2000;321(7274):1445-9.
- ⁴ A 5-month, randomized, placebo-controlled trial of galantamine in AD. The Galantamine USA-10 Study Group. *Neurology* 2000;54(12):2269-76.
- ⁵ Maelicke A, Samochocki M, Jostorck R, et al. Allosteric sensitization of nicotinic receptors by galantamine, a new treatment strategy for Alzheimer's disease. *Biol Psychiatry* 2001;49:279-88.
- ⁶ Coyle J, Kershew P. Galantamine, a cholinesterase inhibitor that allosterically modulates nicotinic receptors: effects of the course of Alzheimer's disease. *Biol Psychiatry* 2001;49:289-99.
- ⁷ Lopez Cm, Govoni S, Battaini F, et al. Effect of a new cognition enhancer alpha-glycerolphosphorylcholine, on scopolamine induced amnesia and brain acetylcholine. *Pharmacol Biochem Behav* 1991;39(4):835-40.
- ⁸ Sigala S, Imperato A, Rizzoneli P, et al. L-alpha glycerylphosphorylcholine antagonizes scopolamine-induced amnesia and enhances hippocampal cholinergic transmission in the rat. *Eur J Pharmacol* 1992;211(3):351-8.
- ⁹ Moreno DJ and Moreno M. Cognitive improvement in mild to moderate Alzheimer's dementia after treatment with the acetylcholine precursor choline alfoscerate: a multicenter, double-blind, randomized, placebo-controlled trial. *Clin Ther* 2003;25(1):178-93.
- ¹⁰ Abbati C, et al. Nootropic therapy of cerebral aging. *Adv Therapy* 1991;8:268.
- ¹¹ Vezzetti V, Bettini R. Clinical and instrument evaluation of the effect of choline alfoscerate on cerebral decline. *Presse Medicale* 1992;5:141.
- ¹² Ban TA, et al. Choline alfoscerate in elderly patients with cognitive decline due to dementing illness. *New Trends Clin Neuropharmacol* 1991;5:87.
- ¹³ Palleschi M, et al. Evaluation of effectiveness and tolerability of alpha-GFC (choline alfoscerate) in patients suffering from slight/moderate cognitive decline. Preliminary results. *Geriatrics* 1992;4:13.
- ¹⁴ Parnetti L, et al. Multicentre study of l-a-glyceryl-phosphorylcholine vs ST200 among patients with probable senile dementia of Alzheimer's type. *Drugs & Aging* 1993;3:159.
- ¹⁵ Aguglia E, et al. Choline alfoscerate in the treatment of mental pathology following acute cerebrovascular accident. *Funct Neurol* 1993;8 (Suppl):5.
- ¹⁶ Barbagallo Sangiorgi G, et al. alpha-glycerophosphocholine in the mental recovery of cerebral ischemic attacks. *Ann N Y Acad Sci* 1994;717:253.
- ¹⁷ Parnetti L, Amenta F, Gallai V. Choline alfoscerate in cognitive decline and in acute cerebrovascular disease: an analysis of published clinical data. *Mechs Ageing Dev* 2001;22:2041.
- ¹⁸ Raves ML, Harel M, Pang YP, et al. Structure of acetylcholinesterase complexed with the nootropic alkaloid, (-)-huperzine A. *Nat Struct Biol*. 1997;4:57-63.
- ¹⁹ Ashani Y, Peggins JO III, Doctor BP. Mechanism of inhibition of cholinesterases by huperzine A. *Biochem Biophys Res Commun*. 1992;184:719-726.
- ²⁰ Pang YP, Kozikowski AP. Prediction of the binding sites of huperzine A in acetylcholinesterase by docking studies. *J Comput Aided Mol Des*. 1994;8:669-681.
- ²¹ Laganieri S, Corey J, Tang XC, et al. Acute and chronic studies with the anticholinesterase Huperzine A: effect on central nervous system cholinergic parameters. *Neuropharmacology*. 1991;30:763-768.
- ²² Xu SS, Goa ZX, Weng Z, et al. Efficacy of tablet huperzine-A on memory, cognition, and behavior in Alzheimer's disease. *Zhongguo Yao Li Xue Bao*. 1995;16:391-395.
- ²³ Sun QQ, Xu SS, Pan JL, et al. Huperzine-A capsules enhance memory and learning performance in 34 pairs of matched adolescent students [abstract]. *Zhongguo Yao Li Xue Bao*. 1999;20:601-603.
- ²⁴ Zhou J, Zhang HY, Tang XC. Huperzine A attenuates cognitive deficits and hippocampal neuronal damage after transient global ischemia in gerbils. *Neurosci Lett*. 2001;313:137-140.
- ²⁵ Ved HS, Koenig ML, Dave JR, et al. Huperzine A, a potential therapeutic agent for dementia, reduces neuronal cell death caused by glutamate. *Neuroreport*. 1997;8:963-968.
- ²⁶ Spagnolie A, et al. Long-term acetyl-L-carnitine treatment in Alzheimer's disease. *Neurology* 1991;41:1726-1732.
- ²⁷ Bowman B. Acetylcholine and Alzheimer's disease. *Nutr Rev* 1992; 50:142-144.
- ²⁸ Careta A, et al. Acetyl-L-Carnitine and Alzheimer's disease. Pharmacological considerations beyond cholinergic sphere. *Ann NY Acad Sci* 1993;695:324-326.
- ²⁹ Pettegrew JW, et al. Clinical and neurochemical effects of acetyl-L-carnitine in Alzheimer's disease. *Neurobiol Aging* 1995;16:1-4.
- ³⁰ Kimura S, Furukawa Y, Wakasugi J, Ishihara Y, Nakayama A. Antagonism of L(-)-pantothenic acid on lipid metabolism in animals. *J Nutr Sci Vitaminol (Tokyo)*. 1980;26(2):113-7.
- ³¹ Rivera Calimlim L, Hartley D, Osterhout D. Effects of ethanol and pantothenic acid on brain acetylcholine synthesis. *Br J Pharmacol* 1988;95(1):77-82.